

## Nanoscale imaging of artificial membrane using AFM

*Pierre-Emmanuel Milhiet, Bastien Seantier, Christian Le Grimellec*  
Centre de Biochimie Structurale, UMR5048 CNRS, UMR554 INSERM, Montpellier, France  
[pem@cbs.cnrs.fr](mailto:pem@cbs.cnrs.fr)

*Stéphanie Pace, Jean-Marie Devoisselle, Frédérique Cunin*  
CNRS (UMR 5618) - ENSCM Laboratoire des Matériaux Catalytiques et Catalyse en  
Chimie Organique Montpellier, France

*Manuela Dezi and Daniel Levy*  
Institut Curie, UMR168 CNRS, Paris, France

*Laura Picas, M. Teresa Montero and Jordi Hernandez-Borrell*  
Departament de Fisicoquímica, Facultat de Farmàcia, Universitat de Barcelona, and Institut  
de Nanociència i Nanotecnologia de la Universitat de Barcelona

Thanks to their ability to mimic biological membranes and their relative ease to be handled, supported lipid bilayers (SLBs) represent an attractive system in the development of membrane-inspired biosensors [1]. The issue for biosensor applications is to get bilayers separating two compartments for studying the properties of cell membranes such as permeability, active transport or signal transduction by transmembrane proteins.

In this talk, we will briefly describe the main strategies to prepare SLBs that are suitable for AFM analysis, a technique allowing topology of the membrane to be delineated with a resolution in the nanometer range. This approach has been recently used in the development of a membrane biosensor platform using mesoporous silicon [2]. Porous materials have emerged as good candidates for supporting lipid membranes, providing a reservoir of buffer below the membrane. Porous silicon obtained by electrochemically etching of crystalline silicon wafers is especially interesting because it behaves as a photonic crystal reflector and can be used as a label-free optical biosensor. Deposition of a continuous planar phospholipid bilayer at the surface of porous silicon has validated the proof of concept.

In the last part of the talk, we will stress on the incorporation of functional transmembrane proteins within bio-inspired membranes that still remains a challenge. I will introduce a technique developed in the laboratory and based on the direct incorporation of protein within SLBs destabilized by low cmc detergents. This technique requires very small amount of purified proteins (in the picomole range) allowing protein oligomerization to be delineated by AFM [3,4].

### References:

- [1] B. Seantier, M.C. Giocondi, C. Le Grimellec, and P.E., *Current Opinion in Colloid & Interface Science* **13** (2008) 326–337
- [2] S. Pace, P. Gonzalez, J.M. Devoisselle, P.E. Milhiet, Daniel Brunel and F. Cunin, *N. J. Chem.* (2010) **in press**.
- [3] P.E. Milhiet, F. Gubellini, A. Berquand, P. Dosset, J.L. Rigaud, C. Le Grimellec and D. Lévy, *Biophysical J* **91** (2006), 3268-3275.
- [4] Picas, L., Teresa Montero, J.L. Vazquez-Ibar, Seantier, B., Milhiet, P.E. and Hernández-Borrell, J. *BBA Biomembranes* (2010), **in press**.